


Key Feature

- Displays information
- Backlight auto switch according to the environmental conditions
- Easy to extend

Typical Application



Approval

| | |
|-------------|---|
| CE-EMC | a. EN 55032:2015 b. EN 61000-3-2:2014 c. EN 61000-3-3:2013 d. EN 50130-4:2011 +A1:2014 |
| CE-LVD | EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013 |
| CB | IEC 60950-1:2005 (Second Edition) + Am 1:2009 + Am 2:2013 |
| C-TICK(EMC) | AS/NZS CISPR 32:2015 |
| ROHS | 2011/65/EU |
| REACH | Regulation (EC) No 1907/2006 |
| WEEE | 2012/19/EU |


Specification

| System parameters | |
|---------------------|--|
| Operation method | Backlight controlled via client software |
| Interfaces | |
| Module-connecting | 2 (1 input, 1 output) |
| Debugging port | 1 |
| General | |
| DIP switch | 8 |
| Power supply | 12 VDC (powered by the other module) |
| Power output | 12 VDC (powered for the other module) |
| Power consumption | 1.5 W |
| Working temperature | -20 °C to 60 °C(-4 °F to 140 °F) |
| Working humidity | 10% to 95% |
| Installation | Flush mounting, surface mounting |
| Dimension | 98.42 mm × 94.4 mm × 33.8 mm (3.87" × 3.72" × 1.34") |

Available Model


DS-KD-INFO

Appearance and Interfaces



| No. | Description |
|-----|-------------------------------------|
| 1 | Display Area |
| 2 | Module-connecting Interface(Output) |
| 3 | Module-connecting Interface(Input) |
| 4 | Debugging Port |

Dimension



Accessory

| Optional | |
|--|---|
|  |  |
| DS-KD-ACF1/Plastic | DS-KD-ACF2/Plastic |
|  |  |
| DS-KD-ACF3/Plastic | DS-KD-ACW1 |
|  |  |
| DS-KD-ACW2 | DS-KD-ACW3 |



Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com