

PRODUCT-DETAILS

M2300

M2300 System controller, MDRC



General Information

Extended Product Type	M2300
Product ID	2TMA070080W0011
EAN	6955891802278
Catalog Description	M2300 System controller, MDRC
Long Description	System controller, MDRC, 1200mA, with one on/all on setting

Technical

Current Type	DC
Application	Outdoor station
Input Voltage (U_{in})	230 V
Output Current Maximum (I_{out})	1200 mA
Frequency (f)	50...60 MHz
Number Of Connectable Participants	65
Mounting Type	DIN-Rail
Number of Batteries	0

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2TMC107039D0201

REACH Declaration No declaration needed

Dimensions

Width in Number of Modular Spacings	8
Product Net Width	0.144 m
Product Net Height	0.065 m
Product Net Depth / Length	0.09 m
Product Net Weight	0.437 kg

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.5783 kg
Customs Tariff Number	85177000
Country of Origin	China (CN)

Certificates and Declarations

Declaration of Conformity - CE	2TMC107040D0201
--------------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2TMC107015M02
Instructions and Manuals	2TMC107007M9702
Installation Instruction	Bus system

Classifications

ETIM 8	EC001089 - Power supply door communication
ETIM 9	EC001089 - Power supply door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85177090
UNSPSC	32151802
IDEA Granular Category Code (IGCC)	3587 >> Fieldbus, decentr. periphery - communication module

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → System Devices

