

PRODUCT-DETAILS

# M2301

## M2301 Mini-system controller, MDRC



### General Information

Extended Product Type	M2301
Product ID	2TMA070080W0012
EAN	6955891802285
Catalog Description	M2301 Mini-system controller, MDRC
Long Description	Mini-system controller, MDRC, 650mA, with one on/all on setting

### Technical

Current Type	DC
Application	Outdoor station
Input Voltage ( $U_{in}$ )	230 V
Output Current Maximum ( $I_{out}$ )	650 mA
Frequency (f)	50...60 MHz
Number Of Connectable Participants	31
Mounting Type	DIN-Rail
Number of Batteries	0

### Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2TMC107039D0201

REACH Declaration No declaration needed

## Dimensions

Width in Number of Modular Spacings	4
Product Net Width	0.072 m
Product Net Height	0.065 m
Product Net Depth / Length	0.09 m
Product Net Weight	0.212 kg

## Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.2516 kg
Customs Tariff Number	85177000
Country of Origin	China (CN)

## Certificates and Declarations

Declaration of Conformity - CE	2TMC107040D0201
--------------------------------	-----------------

## Popular Downloads

Data Sheet, Technical Information	2TMC107015M02
Instructions and Manuals	2TMC107008M9702
Installation Instruction	Bus system

## Classifications

ETIM 8	EC001089 - Power supply door communication
ETIM 9	EC001089 - Power supply door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85177090
UNSPSC	32151802
IDEA Granular Category Code (IGCC)	3587 >> Fieldbus, decentr. periphery - communication module

## Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → System Devices

