

DH-PFB510W Radar Bracket



Features

- · Aluminum alloy
- \cdot Radar dedicated
- \cdot Compatible with wall mounting and ceiling mounting
- \cdot Inner cable connection without exposure
- \cdot Junction box function
- \cdot Easy installation and adjustment
- · Vertical angle adjustment with high accuracy




Camera Mount Series | DH-PFB510W

Technical Specification		
Model	DH-PFB510W	
Material	Aluminum alloy	
Dimensions	134.0 × 134.4 × 195.8 mm (5.28" × 5.29"× 7.71")	
Net Weight	1.1kg (2.43 lb)	
Gross Weight	1.3kg (2.87 lb)	
Load Bearing	4.0 kg (8.82 lb)	
Operating Temperature	-40°C to 70°C (-40°F to 158°F)	
Operating Humidity	<90%	
Installation	Wall-mounted or ceiling-mounted	
Adjusting Range	Vertical: –20° to 90° with 1° accuracy Horizontal: –48° to 48° with 12° accuracy	
Color	White	
Applicable Model	PFR4K-E series and PFR4K-D series	

Ordering Information		
Туре	Part Number	Description
Radar Mount Bracket	DH-PFB510W	Radar bracket, support wall mounting and ceiling mounting
	PFB510W	Radar bracket, support wall mounting and ceiling mounting

Dimensions (mm/inch)





Application



Package Information

- · Bracket × 1
- \cdot ST6 screw × 4
- \cdot Expansion bolt × 4
- \cdot Gasket × 4
- \cdot S3.0 wrench × 1
- \cdot S5.0 wrench × 1
- \cdot Positioning map \times 1
- \cdot Waterproof connector group × 1



Rev 001.001 © 2019 Dahua. All rights reserved. Design and specifications are subject to change without notice Pictures in the document are for reference only, and the actual product shall prevail.

www.dahuasecurity.com +61 45 22 45 222