

PRODUCT-DETAILS

M251022CR

M251022CR Display module with IC card reader



General Information

Extended Product Type	M251022CR
Product ID	2TMA070090N0011
EAN	6955891802452
Catalog Description	M251022CR Display module with IC card reader
Long Description	Display module with IC card reader, capacity 3000 cards, with wiegand output

Installation

Instructions and Manuals	2TMC107002M9702
Installation Instruction	Bus system

Technical

Data Sheet, Technical Information	2TMC107015M02
Operational Voltage	28 V
Input Voltage Type	DC
Number of Buttons	0
Number of Users	3000
Housing Material	Plastic
Model Number	Call-display

Color	White
Number of Batteries	0
Screen Size	2.5 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2TMC107039D0201
REACH Declaration	No declaration needed

Dimensions

Product Net Width	0.097 m
Product Net Height	0.031 m
Product Net Depth / Length	0.072 m
Product Net Weight	0.115 kg

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.16 kg
Customs Tariff Number	85177900
Country of Origin	China (CN)

Certificates and Declarations

Declaration of Conformity - CE	2TMC107040D0201
--------------------------------	-----------------

Classifications

ETIM 8	EC000349 - Functional module for door communication
ETIM 9	EC000349 - Functional module for door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85177900
UNSPSC	46171612
IDEA Granular Category Code (IGCC)	7398 >> Monitor for door and video intercom system

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → Outdoor Station Modules

© 2023 ABB. All rights reserved.

2023/09/26

Subject to change without notice

