

PRODUCT-DETAILS

EUB/S 1.1

EUB/S1.1 EIB Monitoring Unit, MDRC



General Information

Extended Product Type	EUB/S 1.1
Product ID	2CDG110066R0011
EAN	4016779649919
Catalog Description	EUB/S1.1 EIB Monitoring Unit, MDRC
Long Description	Monitors up to 100 bus devices in KNX systems, which can be divided into 5 groups. The devices are monitored to ensure their presence and minimum functionality (send and receive). Monitoring can be undertaken based on the physical address or the group address. A total of four different monitoring modes are available. No additional power supply required, the device is powered from KNX bus.

Installation

Instructions and Manuals	2CDG941020P0002
--------------------------	-----------------

Technical

Data Sheet, Technical Information	2CDC513025D0202 2CDC513028D0201
Power Loss	0.3 W
Number of Digital Inputs	0
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Mounting Type	DIN-Rail
Manual Operation	No

Color	light grey
Number of Batteries	0
Application Function	Safetv and Security

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2CDK513046D2701
REACH Declaration	9AKK107492A1906
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	2
Product Net Width	36 mm
Product Net Height	90 mm
Product Net Depth / Length	64.5 mm
Product Net Weight	0.095 kg
Dimension Diagram	2CDC072025F0017

Certificates and Declarations

Declaration of Conformity - CE	2CDK513046D2701
KNX Certificate	9AKK105710A0036

Classifications

ETIM 8	EC000676 - Logic component for bus system
ETIM 9	EC000676 - Logic component for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91
UNSPSC	32151705
eClass	V11.0 : 27143103
IDEA Granular Category Code (IGCC)	3567 >> PLC function/technology module
Object Classification Code	A

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Safety and Monitoring

